

OP-S9 ENT Chair


COMFORT AND EXCELLENCE FOR DOCTOR AND PATIENT




ERGONOMICS AND SUPERIOR PRECISION



COMFORT FOR THE PATIENT, ERGONOMICS FOR THE PROFESSIONAL



MOVEMENTS: ELEVATION AND ROTATION







MOVEMENTS: INCLINATION

VISIBLE PRECISION

Allows combining the positions of the backrest, seat, and leg rest, adapting to all postural needs required during the examination and treatment.



ELECTRONICS AND CONTROLS OP-S9



ERGONOMICS AND COMFORT



VERSATILE HEADREST

Accessible system designed to keep the patient's head in the desired position.

Adjustable in angles and height with a fixation brake.

Incorporates a quick-release system that allows vestibular positional tests and routine practices.







ERGONOMICS AND COMFORT



ARMRESTS AND LEG REST




ARMRESTS

Highly durable, foldable, and padded in PUR.

The movement, synchronized with the backrest, ensures access for patients with reduced mobility and facilitates lateral procedures.

LEG REST

With concave PUR padding, keeps the legs of the patient together and moves synchronously with the backrest.




FOLDOWN FOOTREST

Highly resistant and appropriately sized to hold the patient's footwear, ensuring a comfortable and safe seating position.

COMFORT AND HYGIENE



COLOR OPTIONS



GENERAL CHARACTERISTICS

MOVEMENTS	Motorized (electric control for elevation and inclination)
ROTATION	380° with electric brake

TRENDELENBURG

CONTROL MODES

2 keypads on the side of the backrest + Pedal

OPTIONAL CONTROL MODE

Hand control

-10°

USER MEMORIES 6 memories (3 programmable + 3 pre-programmed)

PRE-PROGRAMMED MEMORIES Welcome / Trendelenburg / 30° Position (only with optional hand control)

■ KEYPAD LOCK On keypads and hand control

UPHOLSTERY
Seamless, washable PUR material. 5 color options
Adjustable in angles and height, quick-release
ARMRESTS
Manually foldable, synchronized with the backrest

LEG REST Synchronized with the backrest

FOOTREST Manually foldable, high resistance
MINIMUM SEAT HEIGHT 48cm

MAXIMUM SEAT HEIGHT 90cm

BASE DIMENSIONS 62cm (width) x 96cm (depth)
MAXIMUM LIFTING CAPACITY 350Kg

POWER CONNECTION 100-240V / 50-60Hz

OPTOMIC ESPAÑA S.A.

Madroño 4. E-28770, Colmenar Viejo. Madrid - Spain Tel: +34 91 804 44 44 export@optomic.com www.optomic.com





